User: Customer Job Number P.O. Number This Issue Prsht Rev. First Issue **Previous Run** Written By Comment Job Number: Seq. #: 1.0 2.0

Wednesday, 2/15/2006 3:46:12 PM Kim Johnston **Process Sheet** : SADDLE FITTING, AFT (OUTBOARD/INBOARD) : CU-DAR001 Dart Helicopters Services **Drawing Name** : 25832 : 10533 **Estimate Number** · NIA : D2573 Part Number S.O. No. : NIA : D2573 REV E : 2/15/2006 **Drawing Number** : N/A Project Number . NIA : MACHINED PARTS ; E Drawing Revision : NIA : 25619 Material : 3/15/2006 Each **Due Date** Um: Checked & Approved By **Additional Product Machine Or Operation: Description:** D6101007 7075-T7351 8.25X7.75X2.5 Comment: Qty.: 1.0000 Each(s)/Unit Total: 10.0000 Each(s) 7075-T7351 8.25X7.75X2.5 Make from D6101-007 billet for D2573 Ensure that grain is along 7.75" length Batch No: **B34076** 06/03/26 HAAS CNC VERTICAL MACHINING #1 HAAS1

Comment: HAAS CNC VERTICAL MACHINING #1



Program Batch No. <u>2583</u> Double check by: <u>1</u>

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets

3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets

4-Deburr and remove all machining marks

5-Tumble to remove sharp edges.

Epobles 104

3.0

MILLING CONV.

CONVENTIONAL MILLING MACHINE



Comment: CONVENTIONAL MILLING MACHINE

Machine keyway as per dwg D2573 & D2574

4.0

QC2

INSPECT PARTS AS THEY COME OFF MACHI



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

Dart Aerospace Ltd

W/O:			W	ORK ORDER CHANG	ES				
DATE STEP		PROCEDURE CHANGE				Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							_		
Part No		PAR #:	_ Fault Cate	egory:	_ NCR: Yes	No DQ	A:	Date:	
				· .	QA:	N/C Close	d:	Date: _	
NCR:		W	ORK ORD	ER NON-CONFORMA	ANCE (NC	R)			
		Description of NC	Corrective Action Section		ion B	Verifi	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign Date	& Sect	Section C C	Chief Eng	QC Inspector
		ye 1 %	,						

NOTE: Date & initial all entries

Wednesday, 2/15/2006 3:46:12 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 25832 Part Number: D2573 Job Number: Seq. #: Description: **Machine Or Operation:** SECOND CHECK QC8 5.0 Comment: SECOND CHECK 06.03.04 16 HAND FINISHING HAND FINISHING RESOURCE #1 6.0 Comment: HAND FINISHING RESOURCE #1 06:03:06: Acid etch and Alodine as per QSI 005 4.1 POWDER COATING POWDER COATING 7.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 8.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock C20463107 Location: S 10.0 N 06.03.07 Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion

Dart Ae	rospace	Ltd		**				
W/O:			V	ORK ORDER CHANGES				
DATE	STEP	PRO	Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
						÷		
Part No	•	PAR #:	Fault Ca	tegory: NC	R: Yes N	DQA:	Date: ⊆	68/08
					QA: N/	C Closed:	Date: _	
NCR:		V	NORK OR	DER NON-CONFORMANCE	E (NCR)			
		Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
							ţ.	
			1				1-	1

NCR:		WORK ORDER HON-COMPORTANCE (NCK)										
		Description of NC		Corrective Action Section B				Ammroval				
DATE	STEP	Section A	Initial Chief Eng			Sign & Section C Chief		Approval QC Inspector				
							_					
				·								
					·							
	,											
	1		1 1		1							

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	25832
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

				Re	ecorded Act	ual Dimens	ions		
Dim	Min	Max	Go/No Go Gauge	. 1	2	3	-4	Ву	Date
A	0.438	0.443	DT8682	0.438	0.938	6.436	0.438		
В	1.745	1.755		1.746	1,746	1.746	1,747		
С	3.495	3.505		3.497	3.497	3.498	8.498		
D	1.745	1.755		1,746	1,746	1.746	1.747		·
E	7.990	8.010		8.064	8.005	8066	8.00		
F	0.490	0.510		0.498	0.496	6.499	0.501		
G	0.257	0.262	DT8683	0-257	0.257	0.257	0.257		
Н	0.375	0.380	DT8684	0.375	0.375	0.375	0.375		
1	0.490	0.510		6.501	0.564	6.563	0562		
J	1.174	1.184		1.177	1.178	11,177	1,178		
K	0.558	0.578		0.564	0.566	0.565	c. 512		
L	1.174	1.184		1.177	1.178	1177	1178		
М	1.365	1.375		1.368	1.370	1.368	1.368		
N	2.495	2.505		2.457	2.496		2495		
0	4.119	4.129		4.170	4,173	4.122	4,121		
Р	0.115	0.135		0.122	0.123	0-121	0.720		
Q	0.115	0.135		0.730	0.130	6.730	0./30		
R	0.240	\0.260		0.252		0.248	0.250		
S	0.115	0.135	-	0.172	0./30	0./3/	6.128		
T	0.178	/ 0.198		0.183	0.188	0/83	0.188		
U	3.210	3.250		3. 236	3.236	3.230	3.230		
V.	0.230	0.250		0232		0.246	0241		
W	0.115	0.135		0./30	0./3/	0.131	6-132		
X	0.308	0.313		0.39	0.309	0-309	6.309		<u>:</u>
Υ	0.760	0.765		0.760	6.760	0.760	0760		
Z :	0.352	0.372		0.367	0.367		6.367		
AA	0.470	0.530		6.500	6572°	0500	0.500		
AB	0.615·	0.635		0.630	o. 633	0.629	0633		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.245	0.247	8.250	0.745		
AE	1.500	1.520		1.518	1511	1567	1.504		
AF	0.115	0.135		0.730	0.730	651.0	0./30		
AG	0.240	0.280		0.260	0.260		0.2.60		
АН	0.240	0.260		0.242	6.250	0.245	0252		
Αl	2.000	2.020		7.05cs	2.00/	2.000	2.000		
AJ	0.023	0.043		0.630	6.030	0.030	0.630		
	Acc	ept/Reje	ct						

`	
Measured by: 5	Audited by J-L
Date: 06/63/0/	Date: 06-02-04

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
C.	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D ·	05.05.05	Added dimension Al	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

DART AEROSPACE LTD	Work Order:	25832
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

-				Re	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	6.436	6-138	0.438	0.438		
В	1.745	1.755		1.748	1.749	1.747	1.747		
С	3.495	3.505		3 499	3.500	3-499	3 - 499		
D	1.745	1.755		1 . 748	1-748	1-747	1-747		
Е	7.990	8.010		8-009	8-002	8-004	8.004		
F	0.490	0.510		0.500	0.501	0.501	0.501		
G	0.257	0.262	DT8683	0.257	0.257	s 257	0.257		
Н	0.375	0.380	DT8684	0.375	6.375	0.375	2.375		
I	0.490	0.510		0-499	10-498	0.499	0,499		
J	1.174	1.184		1.177	1-177	1-177	1-177		
K	0.558	0.578		0.568	0 - 567	0~568	0. 564		
L	1.174	1.184		1-177	1.177	# .177	1-177		
М	1.365	1.375	· · · · · · · · · · · · · · · · · · ·	1.370	1.371	1 -372	1.371		
N	2.495	2.505		2.498	3.499	2-499			
0	4.119	4.129		4-128	4-194	4-124		•	
Р	0.115	0.135		0,)20	0.190	0.121	0.135		
Q	0.115	0.135		# 73×	a·/38	0.130	4.730		
R	0.240	0.260		0.251	0.355	6,254	6,249		
S	0.115	0.135			0.128	0.129	0.129		
Т	0.178	0.198		0.188	6.198		o. 188		
U	3.210	3.250		€3.220	3.221	3-931	3.221		
V	0.230	0.250		0.237	0.237	0.238	0,238		
W	0.115	0.135		6-127	1961.0	0-129	0-129		
Х	0.308	0.313		0.310	0.310	0.3/6	0.310		
Υ	0.760	0.765			6.760	6.760	0 766		
Z	0.352	0.372		6.360	0-360	0.360	0.360		
AA	0.470	0.530		0500	0.500	0.5250	0500		
AB	0.615	0.635		0.628	0-630	0,632	0.633		
AC	0.053	0.073		0.063	6.063	6.063	a-063		
AD	0.240	0.260		0-951	0.253	0.353	0.254		
ΑE	1.500	1.520		1.573	1.514	1-513	1.519		
AF	0.115	0.135		0.130	0-130	0-/30	0.130		
AG	0.240	0.280		0.255	0.235	426-0	0.254	-	
AH	0.240	0.260		0.250	0-251	0.251	0.249		
ΑI	2.000	2.020		2.003	2,003	2,003	2.0025		
AJ	0.023	0.043		0-030	0.030	6.030	0.038	•	
	Acc	ept/Reje	ct						

Measured by: 3.6/	Audited by ろし
Date: 06/03/02	Date: 06.03.04

Rev	Date	Change		Revised by	Approved
Α	,	New Issue		RF	
В	02.09.26	Re-format; Added Rev. D		KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	;	KJ	
D	05.05.05	Added dimension Al	١	KJ/RF	
E	05.12.05	Added dimension AJ		KJ/JLM	

DART AEROSPACE LTD	Work Order:	25832
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.438	6.438	6438			
В	1.745	1.755		1,747	1.745	1.746			
С	3.495	3.505		3 499	3.487	3.498			
D	1.745	1.755		1.748	1.745	1.746			-
E	7.990	8.010		82.004	8.006	8.003			
F	0.490	0.510		0,501	0.427	0.567			
-G	0.257	0.262	DT8683	0.25+	e-257	0.8257			
Н	0.375	0.380	DT8684	0.375	0.375	0.375			
ı	0.490	0.510		0-500	6.561	0.502			
J	1.174	1.184		1-177	1.774	1.17-7	٠.		
K	0.558	0.578		0.558	0.566	6.566			
L	1.174	1.184		1-177	1176	1.177			
М	1.365	1.375		1-371	1.364	1.362			
N	2.495	2.505		3.499	2.496	2.498			
0	4.119	4.129		4 -120	4.124	4.123			
P.	0.115	0.135		0.197	0-124	0.124			
Q	0.115	0.135		0-13-	m. 130	0-130			
R	0.240	0.260		0-350	0.250	6.250			
S	0.115	0.135		0-131	6.727				
T	0.178	0.198			0.188	0/88			
U	3.210	3.250	.	3.331	3.230	3.230			
V	0.230	0.250		0. 234	6.237	0.234			
W	0.115	0.135		0-127	æ.132	0./32			
Х	0.308	0.313		0.360	6.7/6	0.3/8			
Υ	0.760	0.765		6.760	0-760	0. 768			
Z	0.352	0.372		0.360	6.366	6-368			
AA	0.470	0.530		0500	506	0.500			
AB	0.615	0.635		0.628	6.678	0.630			
AC	0.053	0.073		0-063	e-063	0.063			*****
AD	0.240	0.260		0.250	0.242	0. 240			
AE	1.500	1.520		1-512	1.511	1.570			
AF	0.115	0.135		4.130	6./36	0./36			
AG	0.240	0.280		0-250	0.260	0.260			, ,, ,, , ,
AH	0.240	0.260		0,249	0 249	10.244			
Al	2.000	2.020		2.003	2.002	7.002			1 110 110
AJ	0.023	0.043		0.630	0.030	0.030			
	Acc	ept/Reje	ct						

Measured by: 5, 5	Audited by J、L
Date: 06/03/03 06/63/04	Date: 06.03.04

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

